## **SYSTEMS SURVEY FORM**



Patient		<u>-</u>	Doctor		Date				
Birth Date _	/ / Appro	x We	ight	Veget	arian: Yes · No ·				
INSTRUCTIONS: Number only the boxes which apply to you. Leave blank if you don't have the problem.  * Write 1 in the box for MILD symptoms (occurs rarely).  * Write 2 in the box for MODERATE symptoms (occurs several times a month).  * Write 3 in the box for SEVERE symptoms (occurs almost constantly).  Please do not use checkmarks in the boxes - fill in the boxes with a number or leave blank!									
GROUP 1									
2 Get cl 3 "Lump 4 Dry m 5 Pulse 6 Keyec	foods upset chilled often p" in throat nouth-eyes-nose e speeds after meal d up - fail to calm leals slowly	8	Gag easily Unable to relax; startles easily Extremities cold, clammy Strong light irritates Urine amount reduced Heart pounds after retiring "Nervous" stomach	15	Appetite reduced Cold sweats often Fever easily raised Neuralgia-like pains Staring, blinks little Sour stomach often				
GROUP 2									
22 Muscl 23 "Butte 24 Eyes 25 Eyes 26 Eyelic 27 Indige 28 Alway	stiffness on arising ele-leg-toe cramps at night erfly" stomach, cramps or nose watery blink often ds swollen, puffy estion soon after meals ys seems hungry; feels headed" often	29	Digestion rapid Vomiting frequent Hoarseness frequent Breathing irregular Pulse slow; feels "irregular" Gagging reflex slow Difficulty swallowing Constipation, diarrhea alternating	37	"Slow starter" Get "chilled" infrequently Perspire easily Circulation poor, sensitive to cold Subject to colds, asthma, bronchitis				
			GROUP 3						
43	when nervous ssive appetite ry between meals ble before meals shaky" if hungry ue, eating relieves theaded" if meals delayed	49	Heart palpitates if meals missed or delayed Afternoon headaches Overeating sweets upsets Awaken after few hours sleep - hard to get back to sleep	53	Crave candy or coffee in afternoons Moods of depression - "blues" or melancholy Abnormal craving for sweets or snacks				
GROUP 4									
easily 57 Sigh f 58 Aware 59 High a 60 Open rooms 61 Susce	is and feet go to sleep //, numbness frequently, "air hunger" e of "breathing heavily" altitude discomfort is windows in closed s eptible to colds and fevers moon "yawner"	63	Get "drowsy" often Swollen ankles, worse at night Muscle cramps, worse during exercise; get "charley horses" Shortness of breath on exertion Dull pain in chest or radiating into left arm, worse on exertion	68	Bruise easily, "black and blue" spots Tendency to anemia "Nose bleeds" frequent Noises in head, or "ringing in ears" Tension under the breastbone, or feeling of "tightness", worse on exertion				

## **SYSTEMS SURVEY FORM - PAGE 2**

			GROUP 5		
73	Dizziness Dry skin Burning feet Blurred vision Itching skin and feet Excessive falling hair Frequent skin rashes Bitter, metallic taste in mouth in mornings Bowel movements painful or difficult Worrier, feels insecure	83	Feeling queasy; headache over eyes Greasy foods upset Stools light colored Skin peels on foot soles Pain between shoulder blades Use laxatives Stools alternate from soft to watery History of gallbladder attacks or gallstones	91	Sneezing attacks Dreaming, nightmare type bad dreams Bad breath (halitosis) Milk products cause distress Sensitive to hot weather Burning or itching anus Crave sweets
			GROUP 6		
98	Loss of taste for meat Lower bowel gas several hours after eating Burning stomach sensations, eating relieves	101   102   103   1	Coated tongue Pass large amounts of foul-smelling gas Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs.	104	Mucous colitis or "irritable bowel" Gas shortly after eating Stomach "bloating" after eating
			GROUP 7		
107	Insomnia Nervousness Can't gain weight Intolerance to heat Highly emotional Flush easily Night sweats Thin, moist skin Inward trembling Heart palpitates Increased appetite without weight gain	137	(C) Failing memory Low blood pressure Increased sex drive Headaches, "splitting or rending" type Decreased sugar tolerance	150	Dizziness Headaches Hot flashes Increased blood pressure Hair growth on face or body (female) Sugar in urine (not diabetes) Masculine tendencies (female)
118	Pulse fast at rest Eyelids and face twitch Irritable and restless Can't work under pressure  (B) Increase in weight Decrease in appetite Fatigue easily Ringing in ears Sleepy during day Sensitive to cold Dry or scaly skin Constipation Mental sluggishness Hair coarse, falls out Headaches upon arising, wear off during day Slow pulse, below 65 Frequency of urination Impaired hearing	142	Abnormal thirst Bloating of abdomen Weight gain around hips or waist Sex drive reduced or lacking Tendency to ulcers, colitis Increased sugar tolerance Women: menstrual disorders Young girls: lack of menstrual function	157	Weakness, dizziness Chronic fatigue Low blood pressure Nails weak, ridged Tendency to hives Arthritic tendencies Perspiration increase Bowel disorders Poor circulation Swollen ankles Crave salt Brown spots or bronzing of skin Allergies - tendency to asthma Weakness after colds, influenza Exhaustion - muscular and nervous
136 🗌	Reduced initiative			172 🗌	Respiratory disorders

## **SYSTEMS SURVEY FORM - PAGE 3**

GROUP 8							
173 Apprehension 174 Irritability 175 Morbid fears 176 Never seems to get well 177 Forgetfulness 178 Indigestion 179 Poor appetite 180 Craving for sweets 181 Muscular soreness 182 Depression; feelings of dread	183 Noise sensiti 184 Acoustic hall 185 Tendency to	ivity lucinations cry without reason e and/or thinning e to touch ward hives	193				
FEMALE	- ONL V		MALE ONLY				
200 Very easily fatigued 201 Premenstrual tension 202 Painful menses 203 Depressed feelings before menstruation 204 Menstruation excessive and prolonged 205 Painful breasts  IMPOR Please list the five main complaints you  1	oo frequently narge y/ovaries ite number 3) hot flashes nty or missed at menses of long standing importance:	213 Prostate trouble 214 Urination difficult or dribbling 215 Night urination frequent 216 Depression 217 Pain on inside of legs or heels 218 Feeling of incomplete bowel evacuation 219 Lack of energy 220 Migrating aches and pains 221 Tire too easily 222 Avoids activity 223 Leg nervousness at night 224 Diminished sex drive					
BARNES THYROID TE  This test was developed by Dr. Broda Barnes, M.D. an underarm temperature to determine hypo and hyperthyl conducted by the patient in the a.m. before leaving bed being taken for 10 minutes. The test is invalidated if the energy prior to taking the test - getting up for any reason thermometer, etc. It is important that the test be conducted.	d is a measurement of the roid states. The test is - with the temperature e patient expends any n, shaking down the	thyroid. Use an oral therr one, place the probe unde	test at home to see if you may have a functional low mometer or a digital one. When you use a digital er your arm for 5 minutes then turn your machine on; nal 5 minutes. When using a regular one, shake				
making the prior positioning of both the thermometer ar	nd a clock important.	Date Date	Temperature				
PRE-MENSES FEMALES AND MENOR			·				
Any two days during the n		Date	Temperature				
FEMALES HAVING MENSTRU		Date	Temperature				
The 2nd and 3rd day of flow OR any	5 days in a row	Date					
MALES							
Any 2 days during the m	onth	Date	Temperature				